

# COOLSHADE

COMMERCIAL SHADE CLOTH ENGINEERED TO LAST





## COMMERCIAL SHADE CLOTH ENGINEERED TO LAST

Coolshade by Ricky is a heavy-duty commercial grade shade cloth that delivers ultra-violet (UV) protection and is engineered to last under the harsh Australian elements. The contemporary colour palette is available in multiple fabric widths for versatility. Coolshade is supported with a 12-year warranty for peace of mind. Typical environments include; schools & daycare centres, parks & playgrounds, carparks and most shade sails and structures



#### HIGH UVR PROTECTION

Up to 97% UVR block across the Coolshade range of colours.



#### **MOULD & MILDEW RESISTANT**

Coolshade thrives in all elements and environments. Manufactured to last and stand the test of time.



## **HEAT SET**

Thermal process that reduces shrinkage once installed and allows for easier fabrication of the product.



## **100% RECYCLABLE**

Coolshade is a fully recyclable product that will not rot over time.



## **12-YEAR UV WARRANTY**

Coolshade is supported by a full 12-year UV degradation warranty across the range.

## **COLOUR RANGE**



Black, Dark Charcoal, Slate, Dark Green, Midnight, and Aqua Blue are available in 380cm and 300cm roll widths. Silver, Maize, Red, Manor Red, Sand, Cappuccino, and Ivory are available in 380cm roll width only.



# **COLOUR SPECIFICATIONS**

Colour		UVR Block %	Cover Factor %	Shade Factor %	UVE %	Category
•	Black	96.8	96.0	96.7	96.0	Most Effective
•	Dark Charcoal	94.1	94.0	93.1	92.0	Very Effective
•	Slate	89.9	90.0	87.3	89.0	Effective
•	Silver	84.8	84.0	84.4	84.0	Effective
•	Dark Green	92.3	92.0	88.6	92.0	Very Effective
•	Maize	90.6	90.0	83.8	90.0	Effective
•	Midnight	93.1	93.0	91.5	92.0	Very Effective
•	Aqua Blue	92.9	94.0	86.0	93.0	Very Effective
•	Red	93.8	93.0	83.6	94.0	Very Effective
•	Manor Red	92.4	92.0	88.2	92.0	Very Effective
•	Sand	87.8	88.0	78.1	87.0	Effective
•	Cappuccino	92.8	93.0	84.8	92.0	Very Effective
	Ivory	91.5	92.0	71.0	92.0	Very Effective

## **TECHNICAL SPECIFICATIONS**

Roll Width	380cm & 300cm	Roll Length	50m  HDPE monofilament and tape	
Nominal Weight	325gsm	Fabric Type		
Breaking Force (AS2001.2.3.1-2001)	Warp: 770N/50mm Weft: 2000N/50mm	Elongation at Break (AS2001.2.3.1-2001)	Warp: 108% Weft: 74%	
Tear Resistance (AS2001.2.10-1986)	Warp: 213N Weft: 248N	Bursting Force (AS2001.2.19-1988) Ball Burst Method	1869N	

# FIRE RETARDANCY

AS1503.2-1993 (Flammability of Materials)	Flammability Index:	10				
AS1503.3-1999	Spread of Flame:	8	AS1503.3-1999	Ignitability:	11	
AS1503.3-1999	Smoke Developed:	5	AS1503.3-1999	Heat Evolved:	6	



Ricky Richards (Sales) Pty. Ltd | ABN 18 000 946 725 1300 RICKYS (1300 742 597) sales@rickyrichards.com.au rickyrichards.com.au

#### OCTOBER 2025

Information contained in this brochure is accurate and based on the latest product information available at the time. Please be aware that a slight colour difference may occur when using different online devices or when printed.



